



Certificate of Analysis

FOR COMPLIANCE

Sample:AL30829006-003
Harvest/Lot ID: HHL-E-CL-CA-02-0823
Batch#: HHL-E-CL-CA-02-0823
Sample Size Received: 13 units
Total Amount: 2400 units
Retail Product Size: 41.467 gram
Sampled: 08/29/23 10:30 AM
Sampling Start: 10:30 AM
Sampling End: 10:30 AM

PASSED

Pages 1 of 5

Cirona Labs

License # : OCM-AUCP-22-000002

350 Buell Road
Rochester, NY, 14624, US


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
NOT TESTED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.1981%

Total THC/Container : 82.146 mg



Total CBD

0.0008%

Total CBD/Container : 0.332 mg



Total Cannabinoids

0.2166%

Total Cannabinoids/Container : 89.818 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	0.0022	0.0008	<LOQ	<LOQ	0.0062	<LOQ	0.0025	<LOQ	0.1981	<LOQ	0.0055
mg/unit	<LOQ	<LOQ	0.912	0.332	<LOQ	<LOQ	2.571	<LOQ	1.037	<LOQ	82.146	<LOQ	2.281
LOQ	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
3.1106g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 08/30/23 16:17:50

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
09/06/23



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL30829006-003

Harvest/Lot ID: HHL-E-CL-CA-02-0823

Batch# : HHL-E-CL-CA-02-0823

Sample Size Received : 13 units
Total Amount : 2400 units

Sampled : 08/29/23

Page 2 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	<LOQ	PACLOBUTRAZOL	0.1	ppm	0.4	PASS	<LOQ
AZADIRACTHIN	0.1	ppm	1	PASS	<LOQ	PERMETHRIN	0.1	ppm	0.2	PASS	<LOQ
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	<LOQ	PHOSMET	0.1	ppm	0.2	PASS	<LOQ
MYCLOBUTANIL	0.1	ppm	0.2	PASS	<LOQ	PRALLETHRIN	0.1	ppm	0.2	PASS	<LOQ
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	<LOQ	PROPICONAZOLE	0.1	ppm	0.4	PASS	<LOQ
ABAMECTIN B1A	0.1	ppm	0.5	PASS	<LOQ	PROPOXUR	0.1	ppm	0.2	PASS	<LOQ
ACEPHATE	0.1	ppm	0.4	PASS	<LOQ	PYRIDABEN	0.1	ppm	0.2	PASS	<LOQ
ACEQUINOCYL	0.1	ppm	2	PASS	<LOQ	SPINETORAM, TOTAL	0.1	ppm	1	PASS	<LOQ
ACETAMIPRID	0.1	ppm	0.2	PASS	<LOQ	SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	<LOQ
ALDICARB	0.1	ppm	0.4	PASS	<LOQ	SPIROMESIFEN	0.1	ppm	0.2	PASS	<LOQ
AZOXYSTROBIN	0.1	ppm	0.2	PASS	<LOQ	SPIROTETRAMAT	0.1	ppm	0.2	PASS	<LOQ
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	<LOQ	SPIROXAMINE	0.1	ppm	0.2	PASS	<LOQ
BIFENAZATE	0.1	ppm	0.2	PASS	<LOQ	TEBUCONAZOLE	0.1	ppm	0.4	PASS	<LOQ
BIFENTHRIN	0.1	ppm	0.2	PASS	<LOQ	THIACLOPRID	0.1	ppm	0.2	PASS	<LOQ
CARBARYL	0.1	ppm	0.2	PASS	<LOQ	THIAMETHOXAM	0.1	ppm	0.2	PASS	<LOQ
COUMAPHOS	0.1	ppm	1	PASS	<LOQ	TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	<LOQ
CHLORPYRIFOS	0.1	ppm	0.2	PASS	<LOQ	CAPTAN *	0.1	ppm	1	PASS	<LOQ
DAMINOZIDE	0.1	ppm	1	PASS	<LOQ	CHLORDANE *	0.1	ppm	1	PASS	<LOQ
BOSCALID	0.1	ppm	0.4	PASS	<LOQ	CHLORFENAPYR *	0.1	ppm	1	PASS	<LOQ
CARBOFURAN	0.1	ppm	0.2	PASS	<LOQ	CYFLUTHRIN *	0.1	ppm	1	PASS	<LOQ
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	<LOQ	CYPERMETHRIN *	0.1	ppm	1	PASS	<LOQ
CLOFENTEZINE	0.1	ppm	0.2	PASS	<LOQ	METHYL PARATHION *	0.1	ppm	0.2	PASS	<LOQ
DIAZINON	0.1	ppm	0.2	PASS	<LOQ	MGK-264 *	0.1	ppm	0.2	PASS	<LOQ
DICHLORVOS	0.1	ppm	1	PASS	<LOQ	PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	<LOQ
DIMETHOATE	0.1	ppm	0.2	PASS	<LOQ						
DIMETHOMORPH	0.1	ppm	1	PASS	<LOQ	Weight:					
ETHOPROPHOS	0.1	ppm	0.2	PASS	<LOQ	0.4989g					
ETOFENPROX	0.1	ppm	0.4	PASS	<LOQ	Analysis Method :SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOXAZOLE	0.1	ppm	0.2	PASS	<LOQ	Analyzed Date :08/30/23 15:48:06					
FENHEXAMID	0.1	ppm	1	PASS	<LOQ						
FENOXYCARB	0.1	ppm	0.2	PASS	<LOQ						
FENPYROXIMATE	0.1	ppm	0.4	PASS	<LOQ	Weight:					
FIPRONIL	0.1	ppm	0.4	PASS	<LOQ	0.4989g					
FLONICAMID	0.1	ppm	1	PASS	<LOQ	Analysis Method :SOP.T.40.154.NY					
FLUDIOXONIL	0.1	ppm	0.4	PASS	<LOQ	Analyzed Date :08/30/23 15:48:45					
HEXYTHIAZOX	0.1	ppm	1	PASS	<LOQ						
IMAZALIL	0.1	ppm	0.2	PASS	<LOQ						
IMIDACLOPRID	0.1	ppm	0.4	PASS	<LOQ						
KRESOXIM METHYL	0.1	ppm	0.4	PASS	<LOQ						
MALATHION	0.1	ppm	0.2	PASS	<LOQ						
METALAXYL	0.1	ppm	0.2	PASS	<LOQ						
METHIOCARB	0.1	ppm	0.2	PASS	<LOQ						
METHOMYL	0.1	ppm	0.4	PASS	0.1						
MEVINPHOS	0.1	ppm	1	PASS	<LOQ						
NALED	0.1	ppm	0.5	PASS	<LOQ						
OXAMYL	0.1	ppm	1	PASS	<LOQ						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
09/06/23



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

HHL-E-CL-CA-02-0823-S1-S13

N/A

Matrix : Edible

Type: Gummy



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License #: OCM-AUCP-22-000002

Sample : AL30829006-003

Harvest/Lot ID: HHL-E-CL-CA-02-0823

Batch #: HHL-E-CL-CA-02-0823

Sampled : 08/29/23

Sample Size Received : 13 units

Total Amount : 2400 units

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
DIMETHYL SULFOXIDE	750.00	ppm	5000	PASS	<LOQ
1,1,1-TRICHLOROETHANE	225.00	ppm	1500	PASS	<LOQ
HEXANE, TOTAL	208.40	ppm	290	PASS	<LOQ
PENTANES, TOTAL	2700.00	ppm	5000	PASS	<LOQ
BUTANES, TOTAL	1800.00	ppm	5000	PASS	<LOQ
XYLENES, TOTAL	1171.80	ppm	2170	PASS	<LOQ
1,2-DICHLOROETHANE	1.00	ppm	5	PASS	<LOQ
PROPANE	900.00	ppm	5000	PASS	<LOQ
METHANOL	540.00	ppm	3000	PASS	<LOQ
ETHANOL	900.00	ppm	5000	PASS	<LOQ
ETHYL ETHER	900.00	ppm	5000	PASS	<LOQ
ACETONE	180.00	ppm	5000	PASS	<LOQ
2-PROPANOL	900.00	ppm	5000	PASS	<LOQ
ACETONITRILE	73.80	ppm	410	PASS	<LOQ
DICHLOROMETHANE	108.00	ppm	600	PASS	<LOQ
ETHYL ACETATE	900.00	ppm	5000	PASS	<LOQ
BENZENE	0.45	ppm	2	PASS	<LOQ
N-HEPTANE	900.00	ppm	5000	PASS	<LOQ
TOLUENE	160.20	ppm	890	PASS	<LOQ
CHLOROFORM	10.80	ppm	60	PASS	<LOQ

Weight:
0.02051g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 09/01/23 14:19:54

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
09/06/23



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL30829006-003

Harvest/Lot ID: HHL-E-CL-CA-02-0823



Batch# : HHL-E-CL-CA-02-0823


Sampled : 08/29/23

Sample Size Received : 13 units

Total Amount : 2400 units

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<LOQ	PASS	10000	AFLATOXIN G2	0.003	ppm	<LOQ	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<LOQ	PASS	1000	AFLATOXIN G1	0.003	ppm	<LOQ	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.003	ppm	<LOQ	PASS	0.02
SALMONELLA SPECIES			Not Present	PASS		AFLATOXIN B1	0.003	ppm	<LOQ	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		OCHRATOXIN A+	0.010	ppm	<LOQ	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.003	ppm	<LOQ	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS							
ASPERGILLUS FUMIGATUS			Not Present	PASS							
Weight: 1.001g Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY Analyzed Date : 08/31/23 07:52:13						Weight: 0.4989g Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 08/30/23 15:48:29					

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<LOQ	PASS	120
ARSENIC	0.1000	ug/g	<LOQ	PASS	1.5
CADMIUM	0.1000	ug/g	<LOQ	PASS	0.5
CHROMIUM	1.0000	ug/g	<LOQ	PASS	1100
COPPER	1.0000	ug/g	<LOQ	PASS	300
LEAD	0.1000	ug/g	<LOQ	PASS	0.5
MERCURY	0.0100	ug/g	<LOQ	PASS	3
NICKEL	0.1000	ug/g	0.1221	PASS	20
Weight: 0.4504g Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 08/30/23 16:46:51					



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

HHL-E-CL-CA-02-0823-S1-S13
N/A
Matrix : Edible
Type: Gummy



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL30829006-003
Harvest/Lot ID: HHL-E-CL-CA-02-0823
Batch# : HHL-E-CL-CA-02-0823
Sample Size Received : 13 units
Total Amount : 2400 units
Sampled : 08/29/23

Page 5 of 5

Water Activity **PASSED**

Homogeneity **PASSED**
Amount of tests conducted : 1

Analyte	LOQ	Units	Result	P/F	Action Level
Water Activity	0.10	aw	0.64	PASS	0.85

Weight:
3.6638g
Analysis Method : SOP.T.40.019
Analyzed Date : 08/30/23 13:59:16

Analyte	LOQ	Units	Pass/Fail	Result	Action Level
TOTAL CBD RSD (HOMOGENEITY)	0.1000	%	PASS	<LOQ	25
TOTAL THC RSD (HOMOGENEITY)	0.1000	%	PASS	0.7568	25

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 08/30/23 16:17:50

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
09/06/23