



Certificate of Analysis

FOR COMPLIANCE

Sample:AL30815003-006
Harvest/Lot ID: HHL-FP-CL-C-01-0823
Batch#: HHL-FP-CL-C-01-0823
Sample Size Received: 5 units
Total Amount: 74 units
Retail Product Size: 500 gram
Sampled: 08/15/23 02:15 PM
Sampling Start: 02:15 PM
Sampling End: 02:15 PM

PASSED

Pages 1 of 5

Cirona Labs

License # : OCM-AUCP-22-000002

350 Buell Road
Rochester, NY, 14624, US


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.0127%

Total THC/Container : 63.500 mg



Total CBD

<LOQ

Total CBD/Container : 0.000 mg



Total Cannabinoids

0.0127%

Total Cannabinoids/Container : 63.500 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	0.0127	<LOQ	<LOQ
mg/unit	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	63.500	<LOQ	<LOQ
LOQ	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
3.0004g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 08/17/23 16:37:50

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
08/24/23



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL30815003-006


Harvest/Lot ID: HHL-FP-CL-C-01-0823

Batch# : HHL-FP-CL-C-01-0823 Sample Size Received : 5 units

Sampled : 08/15/23 Total Amount : 74 units

Sample Method : SOP Client Method

Page 2 of 5

 Pesticides						PASSED					
Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	<LOQ	PACLOBUTRAZOL	0.1	ppm	0.4	PASS	<LOQ
AZADIRACTHIN	0.1	ppm	1	PASS	<LOQ	PERMETHRIN	0.1	ppm	0.2	PASS	<LOQ
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	<LOQ	PHOSMET	0.1	ppm	0.2	PASS	<LOQ
MYCLOBUTANIL	0.1	ppm	0.2	PASS	<LOQ	PRALLETHRIN	0.1	ppm	0.2	PASS	<LOQ
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	<LOQ	PROPICONAZOLE	0.1	ppm	0.4	PASS	<LOQ
ABAMECTIN B1A	0.1	ppm	0.5	PASS	<LOQ	PROPOXUR	0.1	ppm	0.2	PASS	<LOQ
ACEPHATE	0.1	ppm	0.4	PASS	<LOQ	PYRIDABEN	0.1	ppm	0.2	PASS	<LOQ
ACEQUINOCYL	0.1	ppm	2	PASS	<LOQ	SPINETORAM, TOTAL	0.1	ppm	1	PASS	<LOQ
ACETAMIPRID	0.1	ppm	0.2	PASS	<LOQ	SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	<LOQ
ALDICARB	0.1	ppm	0.4	PASS	<LOQ	SPIROMESIFEN	0.1	ppm	0.2	PASS	<LOQ
AZOXYSTROBIN	0.1	ppm	0.2	PASS	<LOQ	SPIROTETRAMAT	0.1	ppm	0.2	PASS	<LOQ
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	<LOQ	SPIROXAMINE	0.1	ppm	0.2	PASS	<LOQ
BIFENAZATE	0.1	ppm	0.2	PASS	<LOQ	TEBUCONAZOLE	0.1	ppm	0.4	PASS	<LOQ
BIFENTHRIN	0.1	ppm	0.2	PASS	<LOQ	THIACLOPRID	0.1	ppm	0.2	PASS	<LOQ
CARBARYL	0.1	ppm	0.2	PASS	<LOQ	THIAMETHOXAM	0.1	ppm	0.2	PASS	<LOQ
COUMAPHOS	0.1	ppm	1	PASS	<LOQ	TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	<LOQ
CHLORPYRIFOS	0.1	ppm	0.2	PASS	<LOQ	CAPTAN *	0.1	ppm	1	PASS	<LOQ
DAMINOZIDE	0.1	ppm	1	PASS	<LOQ	CHLORDANE *	0.1	ppm	1	PASS	<LOQ
BOSCALID	0.1	ppm	0.4	PASS	<LOQ	CHLORFENAPYR *	0.1	ppm	1	PASS	<LOQ
CARBOFURAN	0.1	ppm	0.2	PASS	<LOQ	CYFLUTHRIN *	0.1	ppm	1	PASS	<LOQ
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	<LOQ	CYPERMETHRIN *	0.1	ppm	1	PASS	<LOQ
CLOFENTEZINE	0.1	ppm	0.2	PASS	<LOQ	METHYL PARATHION *	0.1	ppm	0.2	PASS	<LOQ
DIAZINON	0.1	ppm	0.2	PASS	<LOQ	MGK-264 *	0.1	ppm	0.2	PASS	<LOQ
DICHLORVOS	0.1	ppm	1	PASS	<LOQ	PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	<LOQ
DIMETHOATE	0.1	ppm	0.2	PASS	<LOQ						
DIMETHOMORPH	0.1	ppm	1	PASS	<LOQ	Weight:					
ETHOPROPHOS	0.1	ppm	0.2	PASS	<LOQ	0.508g					
ETOFENPROX	0.1	ppm	0.4	PASS	<LOQ	Analysis Method :SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOXAZOLE	0.1	ppm	0.2	PASS	<LOQ	Analyzed Date :08/18/23 13:08:46					
FENHEXAMID	0.1	ppm	1	PASS	<LOQ						
FENOXYCARB	0.1	ppm	0.2	PASS	<LOQ						
FENPYROXIMATE	0.1	ppm	0.4	PASS	<LOQ	Weight:					
FIPRONIL	0.1	ppm	0.4	PASS	<LOQ	0.508g					
FLONICAMID	0.1	ppm	1	PASS	<LOQ	Analysis Method :SOP.T.40.154.NY					
FLUDIOXONIL	0.1	ppm	0.4	PASS	<LOQ	Analyzed Date :08/18/23 11:53:47					
HEXYTHIAZOX	0.1	ppm	1	PASS	<LOQ						
IMAZALIL	0.1	ppm	0.2	PASS	<LOQ						
IMIDACLOPRID	0.1	ppm	0.4	PASS	<LOQ						
KRESOXIM METHYL	0.1	ppm	0.4	PASS	<LOQ						
MALATHION	0.1	ppm	0.2	PASS	<LOQ						
METALAXYL	0.1	ppm	0.2	PASS	<LOQ						
METHIOCARB	0.1	ppm	0.2	PASS	<LOQ						
METHOMYL	0.1	ppm	0.4	PASS	<LOQ						
MEVINPHOS	0.1	ppm	1	PASS	<LOQ						
NALED	0.1	ppm	0.5	PASS	<LOQ						
OXAMYL	0.1	ppm	1	PASS	<LOQ						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
08/24/23



Certificate of Analysis

PASSED
Cirona Labs

 350 Buell Road
 Rochester, NY, 14624, US
 Telephone: (305) 498-3066
 Email: hunter@cironalabs.com
 License #: OCM-AUCP-22-000002

Sample : AL30815003-006

Harvest/Lot ID: HHL-FP-CL-C-01-0823

Batch#: HHL-FP-CL-C-01-0823 Sample Size Received : 5 units

Sampled : 08/15/23 Total Amount : 74 units

Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
DIMETHYL SULFOXIDE	750.00	ppm	5000	PASS	<LOQ
1,1,1-TRICHLOROETHANE	225.00	ppm	1500	PASS	<LOQ
HEXANE, TOTAL	208.40	ppm	290	PASS	<LOQ
PENTANES, TOTAL	2700.00	ppm	5000	PASS	<LOQ
BUTANES, TOTAL	1800.00	ppm	5000	PASS	<LOQ
XYLENES, TOTAL	1171.80	ppm	2170	PASS	<LOQ
1,2-DICHLOROETHANE	1.00	ppm	5	PASS	<LOQ
PROPANE	900.00	ppm	5000	PASS	<LOQ
METHANOL	540.00	ppm	3000	PASS	<LOQ
ETHANOL	900.00	ppm	5000	PASS	<LOQ
ETHYL ETHER	900.00	ppm	5000	PASS	<LOQ
ACETONE	180.00	ppm	5000	PASS	<LOQ
2-PROPANOL	900.00	ppm	5000	PASS	<LOQ
ACETONITRILE	73.80	ppm	410	PASS	<LOQ
DICHLOROMETHANE	108.00	ppm	600	PASS	<LOQ
ETHYL ACETATE	900.00	ppm	5000	PASS	<LOQ
BENZENE	0.45	ppm	2	PASS	<LOQ
N-HEPTANE	900.00	ppm	5000	PASS	<LOQ
TOLUENE	160.20	ppm	890	PASS	<LOQ
CHLOROFORM	10.80	ppm	60	PASS	<LOQ

 Weight:
 0.0306g

Analysis Method : SOP.T.40.044.NY

Analyzed Date : 08/16/23 12:48:54



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

HHL-FP-CL-C-01-0823-S1-S5
N/A
Matrix : Edible
Type: Other Edible Product



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL30815003-006



Harvest/Lot ID: HHL-FP-CL-C-01-0823


Batch# : HHL-FP-CL-C-01-0823 Sample Size Received : 5 units

Sampled : 08/15/23 Total Amount : 74 units

Sample Method : SOP Client Method

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	10	CFU/g	<LOQ	PASS	10000	AFLATOXIN G2	0.003	ppm	<LOQ	PASS	0.02
TOTAL YEAST AND MOLD	10	CFU/g	<LOQ	PASS	1000	AFLATOXIN G1	0.003	ppm	<LOQ	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.003	ppm	<LOQ	PASS	0.02
SALMONELLA SPECIES			Not Present	PASS		AFLATOXIN B1	0.003	ppm	<LOQ	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		OCHRATOXIN A+	0.010	ppm	<LOQ	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.003	ppm	<LOQ	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS							
ASPERGILLUS FUMIGATUS			Not Present	PASS		Weight:					
						0.508g					
Weight:											
1.0512g											
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
Analysis Date : 08/16/23 10:56:38						Analysis Date : 08/18/23 14:36:35					

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	0.3143	PASS	120
ARSENIC	0.1000	ug/g	<LOQ	PASS	1.5
CADMIUM	0.1000	ug/g	<LOQ	PASS	0.5
CHROMIUM	1.0000	ug/g	<LOQ	PASS	1100
COPPER	1.0000	ug/g	<LOQ	PASS	300
LEAD	0.1000	ug/g	<LOQ	PASS	0.5
MERCURY	0.0100	ug/g	<LOQ	PASS	3
NICKEL	0.1000	ug/g	0.3368	PASS	20
Weight:					
0.4453g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY					
Analysis Date : 08/16/23 16:31:02					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
08/24/23



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

HHL-FP-CL-C-01-0823-S1-S5
N/A
Matrix : Edible
Type: Other Edible Product



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL30815003-006

Harvest/Lot ID: HHL-FP-CL-C-01-0823

Batch# : HHL-FP-CL-C-01-0823 Sample Size Received : 5 units

Sampled : 08/15/23

Total Amount : 74 units

Sample Method : SOP Client Method

Page 5 of 5

Homogeneity

PASSED

Amount of tests conducted : 3

Analyte	LOQ	Units	Pass/Fail	Result	Action Level
TOTAL CBD RSD (HOMOGENEITY)	0.1000	%	PASS	<LOQ	25
TOTAL THC RSD (HOMOGENEITY)	0.1000	%	PASS	3.4483	25

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date : 08/17/23 16:37:50

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
08/24/23