



# Certificate of Analysis

## FOR COMPLIANCE

Sample:AL30926002-008  
Harvest/Lot ID: HHL-FP-CL-BR-01-0923  
Batch#: HHL-FP-CL-BR-01-0923  
Seed to Sale# NA  
Sample Size Received: 5 units  
Total Amount: 130 units  
Retail Product Size: 500 gram  
Sampled: 09/26/23 11:30 AM  
Sampling Start: 11:30 AM  
Sampling End: 11:30 AM

**PASSED**

Pages 1 of 5

Cirona Labs

License # : OCM-AUCP-22-000002

350 Buell Road  
Rochester, NY, 14624, US


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**NOT TESTED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

MISC.



Cannabinoid

**PASSED**



Total THC  
**0.0224%**

Total THC/Container : 112.000 mg



Total CBD  
**<LOQ**

Total CBD/Container : 0.000 mg



Total Cannabinoids  
**0.0231%**

Total Cannabinoids/Container : 115.500 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	0.0007	<LOQ	<LOQ	<LOQ	0.0224	<LOQ	<LOQ
mg/unit	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	<LOQ	3.500	<LOQ	<LOQ	<LOQ	112.000	<LOQ	<LOQ
LOQ	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:  
2g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 09/27/23 12:54:46

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
09/29/23



# Certificate of Analysis

**PASSED**

Cirona Labs

 350 Buell Road  
 Rochester, NY, 14624, US  
 Telephone: (305) 498-3066  
 Email: hunter@cironalabs.com  
 License # : OCM-AUCP-22-000002

Sample : AL30926002-008

Harvest/Lot ID: HHL-FP-CL-BR-01-0923

 Batch# : HHL-FP-CL-  
 BR-01-0923

 Sample Size Received : 5 units  
 Total Amount : 130 units

Sampled : 09/26/23

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	<LOQ	PACLOBUTRAZOL	0.1	ppm	0.4	PASS	<LOQ
AZADIRACTHIN	0.1	ppm	1	PASS	<LOQ	PERMETHRIN	0.1	ppm	0.2	PASS	<LOQ
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	<LOQ	PHOSMET	0.1	ppm	0.2	PASS	<LOQ
MYCLOBUTANIL	0.1	ppm	0.2	PASS	<LOQ	PRALLETHRIN	0.1	ppm	0.2	PASS	<LOQ
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	<LOQ	PROPICONAZOLE	0.1	ppm	0.4	PASS	<LOQ
ABAMECTIN B1A	0.1	ppm	0.5	PASS	<LOQ	PROPOXUR	0.1	ppm	0.2	PASS	<LOQ
ACEPHATE	0.1	ppm	0.4	PASS	<LOQ	PYRIDABEN	0.1	ppm	0.2	PASS	<LOQ
ACEQUINOCYL	0.1	ppm	2	PASS	<LOQ	SPINETORAM, TOTAL	0.1	ppm	1	PASS	<LOQ
ACETAMIPRID	0.1	ppm	0.2	PASS	<LOQ	SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	<LOQ
ALDICARB	0.1	ppm	0.4	PASS	<LOQ	SPIROMESIFEN	0.1	ppm	0.2	PASS	<LOQ
AZOXYSTROBIN	0.1	ppm	0.2	PASS	<LOQ	SPIROTETRAMAT	0.1	ppm	0.2	PASS	<LOQ
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	<LOQ	SPIROXAMINE	0.1	ppm	0.2	PASS	<LOQ
BIFENAZATE	0.1	ppm	0.2	PASS	<LOQ	TEBUCONAZOLE	0.1	ppm	0.4	PASS	<LOQ
BIFENTHRIN	0.1	ppm	0.2	PASS	<LOQ	THIACLOPRID	0.1	ppm	0.2	PASS	<LOQ
CARBARYL	0.1	ppm	0.2	PASS	<LOQ	THIAMETHOXAM	0.1	ppm	0.2	PASS	<LOQ
COUMAPHOS	0.1	ppm	1	PASS	<LOQ	TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	<LOQ
CHLORPYRIFOS	0.1	ppm	0.2	PASS	<LOQ	CAPTAN *	0.1	ppm	1	PASS	<LOQ
DAMINOZIDE	0.1	ppm	1	PASS	<LOQ	CHLORDANE *	0.1	ppm	1	PASS	<LOQ
BOSCALID	0.1	ppm	0.4	PASS	<LOQ	CHLORFENAPYR *	0.1	ppm	1	PASS	<LOQ
CARBOFURAN	0.1	ppm	0.2	PASS	<LOQ	CYFLUTHRIN *	0.1	ppm	1	PASS	<LOQ
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	<LOQ	CYPERMETHRIN *	0.1	ppm	1	PASS	<LOQ
CLOFENTEZINE	0.1	ppm	0.2	PASS	<LOQ	METHYL PARATHION *	0.1	ppm	0.2	PASS	<LOQ
DIAZINON	0.1	ppm	0.2	PASS	<LOQ	MGK-264 *	0.1	ppm	0.2	PASS	<LOQ
DICHLORVOS	0.1	ppm	1	PASS	<LOQ	PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	<LOQ
DIMETHOATE	0.1	ppm	0.2	PASS	<LOQ						
DIMETHOMORPH	0.1	ppm	1	PASS	<LOQ	Weight:					
ETHOPROPHOS	0.1	ppm	0.2	PASS	<LOQ	0.4955g					
ETOFENPROX	0.1	ppm	0.4	PASS	<LOQ	Analysis Method :SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOXAZOLE	0.1	ppm	0.2	PASS	<LOQ	Analyzed Date :09/27/23 15:04:58					
FENHEXAMID	0.1	ppm	1	PASS	<LOQ						
FENOXYCARB	0.1	ppm	0.2	PASS	<LOQ						
FENPYROXIMATE	0.1	ppm	0.4	PASS	<LOQ	Weight:					
FIPRONIL	0.1	ppm	0.4	PASS	<LOQ	0.4955g					
FLONICAMID	0.1	ppm	1	PASS	<LOQ	Analysis Method :SOP.T.40.154.NY					
FLUDIOXONIL	0.1	ppm	0.4	PASS	<LOQ	Analyzed Date :09/27/23 15:06:25					
HEXYTHIAZOX	0.1	ppm	1	PASS	<LOQ						
IMAZALIL	0.1	ppm	0.2	PASS	<LOQ						
IMIDACLOPRID	0.1	ppm	0.4	PASS	<LOQ						
KRESOXIM METHYL	0.1	ppm	0.4	PASS	<LOQ						
MALATHION	0.1	ppm	0.2	PASS	<LOQ						
METALAXYL	0.1	ppm	0.2	PASS	<LOQ						
METHIOCARB	0.1	ppm	0.2	PASS	<LOQ						
METHOMYL	0.1	ppm	0.4	PASS	<LOQ						
MEVINPHOS	0.1	ppm	1	PASS	<LOQ						
NALED	0.1	ppm	0.5	PASS	<LOQ						
OXAMYL	0.1	ppm	1	PASS	<LOQ						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

 NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164



 Signature  
 09/29/23




# Certificate of Analysis

**PASSED**
**Cirona Labs**

 350 Buell Road  
 Rochester, NY, 14624, US  
 Telephone: (305) 498-3066  
 Email: hunter@cironalabs.com  
 License # : OCM-AUCP-22-000002

**Sample : AL30926002-008**
**Harvest/Lot ID: HHL-FP-CL-BR-01-0923**
**Batch# : HHL-FP-CL-  
BR-01-0923**
**Sample Size Received : 5 units  
Total Amount : 130 units**
**Sampled : 09/26/23**

Page 3 of 5



## Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
DIMETHYL SULFOXIDE	750.00	ppm	5000	PASS	<LOQ
1,1,1-TRICHLOROETHANE	225.00	ppm	1500	PASS	<LOQ
HEXANE, TOTAL	208.40	ppm	290	PASS	<LOQ
PENTANES, TOTAL	2700.00	ppm	5000	PASS	<LOQ
BUTANES, TOTAL	1800.00	ppm	5000	PASS	<LOQ
XYLENES, TOTAL	1171.80	ppm	2170	PASS	<LOQ
1,2-DICHLOROETHANE	1.00	ppm	5	PASS	<LOQ
PROPANE	900.00	ppm	5000	PASS	<LOQ
METHANOL	540.00	ppm	3000	PASS	<LOQ
ETHANOL	900.00	ppm	5000	PASS	<LOQ
ETHYL ETHER	900.00	ppm	5000	PASS	<LOQ
ACETONE	180.00	ppm	5000	PASS	<LOQ
2-PROPANOL	900.00	ppm	5000	PASS	<LOQ
ACETONITRILE	73.80	ppm	410	PASS	<LOQ
DICHLOROMETHANE	108.00	ppm	600	PASS	<LOQ
ETHYL ACETATE	900.00	ppm	5000	PASS	<LOQ
BENZENE	0.45	ppm	2	PASS	<LOQ
N-HEPTANE	900.00	ppm	5000	PASS	<LOQ
TOLUENE	160.20	ppm	890	PASS	<LOQ
CHLOROFORM	10.80	ppm	60	PASS	<LOQ

 Weight:  
 0.02585g

 Analysis Method : SOP.T.40.044.NY  
 Analyzed Date : 09/27/23 15:04:21



# Certificate of Analysis



**PASSED**
**Cirona Labs**


 350 Buell Road  
 Rochester, NY, 14624, US  
 Telephone: (305) 498-3066  
 Email: hunter@cironalabs.com  
 License # : OCM-AUCP-22-000002

**Sample : AL30926002-008**

 Harvest/Lot ID: HHL-FP-CL-BR-01-0923  
 Batch# : HHL-FP-CL-BR-01-0923  
 Sample Size Received : 5 units  
 Total Amount : 130 units  
 Sampled : 09/26/23

**Page 4 of 5**

 <b>Microbial</b> <span style="float: right;"><b>PASSED</b></span>						 <b>Mycotoxins</b> <span style="float: right;"><b>PASSED</b></span>					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<LOQ	PASS	10000	AFLATOXIN G2	0.003	ppm	<LOQ	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<LOQ	PASS	1000	AFLATOXIN G1	0.003	ppm	<LOQ	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.003	ppm	<LOQ	PASS	0.02
SALMONELLA SPECIES			Not Present	PASS		AFLATOXIN B1	0.003	ppm	<LOQ	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		OCHRATOXIN A+	0.010	ppm	<LOQ	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.003	ppm	<LOQ	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS							
ASPERGILLUS FUMIGATUS			Not Present	PASS		Weight:					
						0.4955g					
Weight:						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
1.0617g						Analyzed Date : 09/27/23 15:05:40					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY											
Analyzed Date : 09/26/23 14:35:26											

 <b>Heavy Metals</b> <span style="float: right;"><b>PASSED</b></span>					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<LOQ	PASS	120
ARSENIC	0.1000	ug/g	<LOQ	PASS	1.5
CADMIUM	0.1000	ug/g	<LOQ	PASS	0.5
CHROMIUM	1.0000	ug/g	<LOQ	PASS	1100
COPPER	1.0000	ug/g	<LOQ	PASS	300
LEAD	0.1000	ug/g	<LOQ	PASS	0.5
MERCURY	0.0100	ug/g	<LOQ	PASS	3
NICKEL	0.1000	ug/g	0.2862	PASS	20
Weight:					
0.4716g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY					
Analyzed Date : 09/27/23 17:13:31					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

 NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164



 Signature  
 09/29/23



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

HHL-FP-CL-BR-01-0923

N/A

Matrix : Edible

Type: Other Edible Product



# Certificate of Analysis

**PASSED**

**Cirona Labs**

350 Buell Road  
Rochester, NY, 14624, US  
Telephone: (305) 498-3066  
Email: hunter@cironalabs.com  
License # : OCM-AUCP-22-000002

Sample : AL30926002-008

Harvest/Lot ID: HHL-FP-CL-BR-01-0923

Batch# : HHL-FP-CL-  
BR-01-0923

Sampled : 09/26/23

Sample Size Received : 5 units

Total Amount : 130 units

Page 5 of 5

## Homogeneity

**PASSED**

Analyte	LOQ	Units	Pass/Fail	Result	Action Level
<b>TOTAL CBD RSD (HOMOGENEITY)</b>	0.1000	%	<b>PASS</b>	<LOQ	25
<b>TOTAL THC RSD (HOMOGENEITY)</b>	0.1000	%	<b>PASS</b>	3.2875	25

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date : 09/27/23 12:54:46

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
09/29/23