



Certificate of Analysis

FOR COMPLIANCE

Sample:AL31206005-007
Harvest/Lot ID: V-CL-FF-01-1223
Batch#: V-CL-FF-01-1223
Seed to Sale# NA
Sample Size Received: 13 units
Total Amount: 2000 units
Retail Product Size: 1 gram
Sampled: 12/06/23 04:05 PM
Sampling Start: 04:05 PM
Sampling End: 04:50 PM
Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 5

Cirona Labs

License # : OCM-AUCP-22-000002

350 Buell Road
Rochester, NY, 14624, US


PRODUCT IMAGE

SAFETY RESULTS

MISC.



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC

80.2943%

Total THC/Container : 802.943 mg



Total CBD

0.1306%

Total CBD/Container : 1.306 mg



Total Cannabinoids

83.1587%

Total Cannabinoids/Container : 831.587 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	DB-THC	D9-THC	THCA	THCV
%	<0.1000	<0.1000	<0.1000	0.1306	<0.1000	<0.1000	1.1182	<0.1000	0.8632	<0.1000	80.2943	<0.1000	0.7524
mg/unit	<1.000	<1.000	<1.000	1.306	<1.000	<1.000	11.182	<1.000	8.632	<1.000	802.943	<1.000	7.524
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1791g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 12/07/23 14:51:55

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
12/13/23



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License #: OCM-AUCP-22-000002

Sample : AL31206005-007

Harvest/Lot ID: V-CL-FF-01-1223

Batch #: V-CL-FF-01-1223

Sampled : 12/06/23

Sample Size Received : 13 units

Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

TESTED

Terpenes	LOQ (%)	mg/unit	%	Result (%)	Terpenes	LOQ (%)	mg/unit	%	Result (%)
BETA-MYRCENE	0.10	14.8	1.48		SABINENE HYDRATE	0.04	<0.4	<0.04	
LIMONENE	0.10	12.8	1.28		VALENCENE	0.10	<1.0	<0.10	
BETA-CARYOPHYLLENE	0.04	11.6	1.16		ALPHA-CEDRENE	0.04	<0.4	<0.04	
TERPINOLENE	0.04	10.2	1.02		ALPHA-PHELLANDRENE	0.10	<1.0	<0.10	
LINALOOL	0.10	4.4	0.44		CIS-NEROLIDOL	0.04	<0.4	<0.04	
ALPHA-PINENE	0.10	3.5	0.35		TRANS-NEROLIDOL	0.10	<1.0	<0.10	
ALPHA-BISABOLOL	0.04	1.5	0.15		Weight:				
BETA-PINENE	0.10	1.0	0.10		1.0063g				
GAMMA-TERPINENE	0.04	0.4	0.04		Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY				
3-CARENE	0.10	<1.0	<0.10		Analyzed Date : 12/07/23 17:09:55				
ALPHA-TERPINEOL	0.04	<0.4	<0.04						
CAMPHERE	0.10	<1.0	<0.10						
CARYOPHYLLENE OXIDE	0.04	<0.4	<0.04						
CEDROL	0.04	<0.4	<0.04						
FENCHONE	0.04	<0.4	<0.04						
FENCHYL ALCOHOL	0.04	<0.4	<0.04						
GUAIOL	0.04	<0.4	<0.04						
OCIMENE	0.10	<1.0	<0.10						
PULEGONE	0.10	<1.0	<0.10						
SABINENE	0.10	<1.0	<0.10						
ALPHA-HUMULENE	0.04	<0.4	<0.04						
ALPHA-TERPINENE	0.10	<1.0	<0.10						
BORNEOL	0.04	<0.4	<0.04						
CAMPHOR	0.04	<0.4	<0.04						
EUCALYPTOL	0.10	<1.0	<0.10						
GERANIOL	0.04	<0.4	<0.04						
GERANYL ACETATE	0.04	<0.4	<0.04						
ISOBORNEOL	0.10	<1.0	<0.10						
ISOPULEGOL	0.04	<0.4	<0.04						
MENTHOL	0.10	<1.0	<0.10						
NEROL	0.10	<1.0	<0.10						
Total (%)			6.02						



Certificate of Analysis

PASSED

Cirona Labs

 350 Buell Road
 Rochester, NY, 14624, US
 Telephone: (305) 498-3066
 Email: hunter@cironalabs.com
 License # : OCM-AUCP-22-000002

Sample : AL31206005-007

Harvest/Lot ID: V-CL-FF-01-1223

Batch# : V-CL-FF-01-1223


Sampled : 12/06/23

Sample Size Received : 13 units

Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 5

 Pesticides						PASSED					
Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	<0.1	PACLOBUTRAZOL	0.1	ppm	0.4	PASS	<0.1
AZADIRACTIN	0.1	ppm	1	PASS	<0.1	PERMETHRIN	0.1	ppm	0.2	PASS	<0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	<0.1	PHOSMET	0.1	ppm	0.2	PASS	<0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	<0.1	PRALLETHRIN	0.1	ppm	0.2	PASS	<0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	<0.1	PROPICONAZOLE	0.1	ppm	0.4	PASS	<0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	<0.1	PROPOXUR	0.1	ppm	0.2	PASS	<0.1
ACEPHATE	0.1	ppm	0.4	PASS	<0.1	PYRIDABEN	0.1	ppm	0.2	PASS	<0.1
ACEQUINOCYL	0.1	ppm	2	PASS	<0.1	SPINETORAM, TOTAL	0.1	ppm	1	PASS	<0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	<0.1	SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	<0.1
ALDICARB	0.1	ppm	0.4	PASS	<0.1	SPIROMESIFEN	0.1	ppm	0.2	PASS	<0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	<0.1	SPIROTETRAMAT	0.1	ppm	0.2	PASS	<0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	<0.1	SPIROXAMINE	0.1	ppm	0.2	PASS	<0.1
BIFENAZATE	0.1	ppm	0.2	PASS	<0.1	TEBUCONAZOLE	0.1	ppm	0.4	PASS	<0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	<0.1	THIACLOPRID	0.1	ppm	0.2	PASS	<0.1
CARBARYL	0.1	ppm	0.2	PASS	<0.1	THIAMETHOXAM	0.1	ppm	0.2	PASS	<0.1
COUMAPHOS	0.1	ppm	1	PASS	<0.1	TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	<0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	<0.1	CAPTAN *	0.1	ppm	1	PASS	<0.1
DAMINOZIDE	0.1	ppm	1	PASS	<0.1	CHLORDANE *	0.1	ppm	1	PASS	<0.1
BOSCALID	0.1	ppm	0.4	PASS	<0.1	CHLORFENAPYR *	0.1	ppm	1	PASS	<0.1
CARBOFURAN	0.1	ppm	0.2	PASS	<0.1	CYFLUTHRIN *	0.1	ppm	1	PASS	<0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	<0.1	CYPERMETHRIN *	0.1	ppm	1	PASS	<0.1
CLOFENTEZINE	0.1	ppm	0.2	PASS	<0.1	METHYL PARATHION *	0.1	ppm	0.2	PASS	<0.1
DIAZINON	0.1	ppm	0.2	PASS	<0.1	MGK-264 *	0.1	ppm	0.2	PASS	<0.1
DICHLORVOS	0.1	ppm	1	PASS	<0.1	PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	<0.1
DIMETHOATE	0.1	ppm	0.2	PASS	<0.1	Weight:					
DIMETHOMORPH	0.1	ppm	1	PASS	<0.1	0.4979g					
ETHOPROPHOS	0.1	ppm	0.2	PASS	<0.1	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1	ppm	0.4	PASS	<0.1	Analyzed Date : 12/07/23 16:41:12					
ETOXAZOLE	0.1	ppm	0.2	PASS	<0.1	Weight:					
FENHEXAMID	0.1	ppm	1	PASS	<0.1	0.4979g					
FENOXYCARB	0.1	ppm	0.2	PASS	<0.1	Analysis Method : SOP.T.40.154.NY					
FENPYROXIMATE	0.1	ppm	0.4	PASS	<0.1	Analyzed Date : 12/07/23 16:41:45					
FIPRONIL	0.1	ppm	0.4	PASS	<0.1	Weight:					
FLONICAMID	0.1	ppm	1	PASS	<0.1	0.4979g					
FLUDIOXONIL	0.1	ppm	0.4	PASS	<0.1	Analysis Method : SOP.T.40.154.NY					
HEXYTHIAZOX	0.1	ppm	1	PASS	<0.1	Analyzed Date : 12/07/23 16:41:45					
IMAZALIL	0.1	ppm	0.2	PASS	<0.1	Weight:					
IMIDACLOPRID	0.1	ppm	0.4	PASS	<0.1	0.4979g					
KRESOXIM METHYL	0.1	ppm	0.4	PASS	<0.1	Analysis Method : SOP.T.40.154.NY					
MALATHION	0.1	ppm	0.2	PASS	<0.1	Analyzed Date : 12/07/23 16:41:45					
METALAXYL	0.1	ppm	0.2	PASS	<0.1	Weight:					
METHIOCARB	0.1	ppm	0.2	PASS	<0.1	0.4979g					
METHOMYL	0.1	ppm	0.4	PASS	<0.1	Analysis Method : SOP.T.40.154.NY					
MEVINPHOS	0.1	ppm	1	PASS	<0.1	Analyzed Date : 12/07/23 16:41:45					
NALED	0.1	ppm	0.5	PASS	<0.1	Weight:					
OXAMYL	0.1	ppm	1	PASS	<0.1	0.4979g					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

 NY Permit # OCM-CPL-2022-00006
 ISO 17025 Accreditation # 97164

 Signature
 12/13/23



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

V-CL-FF-01-1223-S2
N/A
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License #: OCM-AUCP-22-000002

Sample : AL31206005-007

Harvest/Lot ID: V-CL-FF-01-1223

Batch#: V-CL-FF-01-1223

Sampled : 12/06/23

Sample Size Received : 13 units

Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 4 of 5



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
DIMETHYL SULFOXIDE	750.0	ppm	5000	PASS	<750.0
1,1,1-TRICHLOROETHANE	225.0	ppm	1500	PASS	<225.0
HEXANE, TOTAL	625.0	ppm	290	PASS	<625.0
PENTANES, TOTAL	375.0	ppm	5000	PASS	<375.0
BUTANES, TOTAL	1800.0	ppm	5000	PASS	<1800.0
XYLENES, TOTAL	250.0	ppm	2170	PASS	<250.0
1,2-DICHLOROETHANE	0.5	ppm	5	PASS	<0.5
PROPANE	900.0	ppm	5000	PASS	<900.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	<125.0
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0
BENZENE	0.5	ppm	2	PASS	<0.5
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	0.5	ppm	60	PASS	<0.5

Weight:
0.02649g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 12/07/23 11:40:24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
12/13/23



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL31206005-007

Harvest/Lot ID: V-CL-FF-01-1223

Batch# : V-CL-FF-01-1223



Sampled : 12/06/23

Sample Size Received : 13 units

Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.003	ppm	<0.003	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.003	ppm	<0.003	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.003	ppm	<0.003	PASS	0.02
SALMONELLA SPECIES			Not Present	PASS		AFLATOXIN B1	0.003	ppm	<0.003	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		OCHRATOXIN A+	0.010	ppm	<0.010	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.003	ppm	<0.003	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS							
ASPERGILLUS FUMIGATUS			Not Present	PASS							
Weight: 1.155g						Weight: 0.4979g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY Analyzed Date : 12/07/23 11:03:12						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 12/07/23 16:41:35					

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.3
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	<0.1000	PASS	2
Weight: 0.4703g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 12/07/23 16:16:24					