

**Cirona Labs**  
 350 Buell Road  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

**Sample: SNYCIR0424-CVAP-0008204**  
 Unit Weight: 1.0000g  
 Batch#: V-CA-TD-01-0424  
 Sample Received: 04/24/2024 01:37  
 Report Created: 05/01/2024 01:39  
 Sampling SOP 204-NY

**V-CA-TD-01-0424**  
 Concentrates & Extracts, Vape




## Results

<b>84.51%</b> D9-THC	<b>2.24%</b> CBG
<b>0.00%</b> Total CBD	<b>84.51%</b> Total THC
<b>87.93%</b> Total Cannabinoids	<b>7.2%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Terpenes</b> Pass	<b>Microbials</b> Pass
<b>Heavy Metals</b> Pass	<b>Water Activity</b> Not Tested	<b>Residual Solvents</b> Pass
<b>Mycotoxins</b> Pass	<b>Moisture</b> Not Tested	<b>Pesticides</b> Pass
<b>Homogeneity</b> Pass		

## Dominant Terpenes



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
 350 Buell Road  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

Sample: SNYCIR0424-CVAP-0008204  
 Unit Weight: 1.0000g  
 Batch#: V-CA-TD-01-0424  
 Sample Received: 04/24/2024 01:37  
 Report Created: 05/01/2024 01:39  
 Sampling SOP 204-NY

V-CA-TD-01-0424  
 Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY  
 Date/Time Tested: 04/26/2024 17:12

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose
CBDV	9,515.31	ND	ND	ND
CBDa	9,515.31	ND	ND	ND
CBGa	9,515.31	ND	ND	ND
CBG	9,515.31	<b>22.44</b>	<b>2.24</b>	<b>22.44</b>
CBD	9,515.31	< LOQ	< LOQ	< LOQ
THCV	9,515.31	<b>11.76</b>	<b>1.18</b>	<b>11.76</b>
CBN	9,515.31	< LOQ	< LOQ	< LOQ
CBNa	9,515.31	ND	ND	ND
D9-THC	9,515.31	<b>845.13</b>	<b>84.51</b>	<b>845.13</b>
D8-THC	9,515.31	ND	ND	ND
(6aR,9S)-d10-THC	9,515.31	ND	ND	ND
(6aR,9R)-d10-THC	9,515.31	ND	ND	ND
CBC	9,515.31	ND	ND	ND
THCa	9,515.31	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		<b>845.13</b>	<b>84.51</b>	<b>845.13</b>
Total Cannabinoids		<b>879.33</b>	<b>87.93</b>	<b>879.33</b>

### Notes:

**Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC**  
**Total CBD = CBDa \* 0.877 + CBD**  
**Total Cannabinoids = Sum of all cannabinoids**  
**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
 350 Buell Road  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

Sample: SNYCIR0424-CVAP-0008204  
 Unit Weight: 1.0000g  
 Batch#: V-CA-TD-01-0424  
 Sample Received: 04/24/2024 01:37  
 Report Created: 05/01/2024 01:39  
 Sampling SOP 204-NY

V-CA-TD-01-0424  
 Concentrates & Extracts, Vape



## Terpenes

SOP 620-NY  
 Date/Time Tested: 04/25/2024 20:34

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	7.2	Passed
Limonene	489		4.2	Tested
b-Myrcene	489		1.0	Tested
a-Pinene	489		0.7	Tested
b-Caryophyllene	489		0.4	Tested
b-Pinene	489		0.3	Tested
Linalool	489		0.3	Tested
a-Bisabolol	489		0.1	Tested
a-Humulene	489		0.1	Tested
Camphene	489		0.0	Tested
a-Phellandrene	489		0.0	Tested
Eucalyptol	489		0.0	Tested
g-Terpinene	489		0.0	Tested
Terpinolene	489		0.0	Tested
Fenchol	489		0.0	Tested
Sabinene Hydrate	489		0.0	Tested
p-Cymene	489		0.0	Tested
Fenchone	489		0.0	Tested
Camphor	489		0.0	Tested
Isoborneol	489		0.0	Tested
DL-Menthol	489		0.0	Tested
Borneol	489		0.0	Tested
Terpineol	489		0.0	Tested
Nerol	489		0.0	Tested
Pulegone	489		0.0	Tested
Geraniol	489		0.0	Tested
Geranyl Acetate	489		0.0	Tested
a-Cedrene	489		0.0	Tested
Sabinene	489		0.0	Tested
a-Terpinene	489		0.0	Tested
Valencene	489		0.0	Tested
cis-Nerolidol	489		0.0	Tested
trans-Nerolidol	489		0.0	Tested
Guaiol	489		0.0	Tested
Caryophyllene Oxide	489		0.0	Tested
Cedrol	489		0.0	Tested
d-3-Carene	489		0.0	Tested




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
350 Buell Road  
New York, 14624  
shane@cironalabs.com  
3157770209

Sample: SNYCIR0424-CVAP-0008204  
Unit Weight: 1.0000g  
Batch#: V-CA-TD-01-0424  
Sample Received: 04/24/2024 01:37  
Report Created: 05/01/2024 01:39  
Sampling SOP 204-NY

V-CA-TD-01-0424  
Concentrates & Extracts, Vape



Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
trans-b-Ocimene	489		0.0	Tested
trans-b-Farnesene	489		0.0	Tested
Isopulegol	489		0.0	Tested

**Notes:**

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**



**Kimberly Krisolofsky**  
Lead Technical Director

Cirona Labs  
 350 Buell Road  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

Sample: SNYCIR0424-CVAP-0008204  
 Unit Weight: 1.0000g  
 Batch#: V-CA-TD-01-0424  
 Sample Received: 04/24/2024 01:37  
 Report Created: 05/01/2024 01:39  
 Sampling SOP 204-NY

V-CA-TD-01-0424  
 Concentrates & Extracts, Vape



## Microbials

SOP 401-NY SOP 619-NY  
 Date/Time Tested: 04/26/2024 19:23

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed
E. Coli		0	ND	Passed
Salmonella		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed

**Notes:**

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
350 Buell Road  
New York, 14624  
shane@cironalabs.com  
3157770209

Sample: SNYCIR0424-CVAP-0008204  
Unit Weight: 1.0000g  
Batch#: V-CA-TD-01-0424  
Sample Received: 04/24/2024 01:37  
Report Created: 05/01/2024 01:39  
Sampling SOP 204-NY

V-CA-TD-01-0424  
Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY  
Date/Time Tested: 04/26/2024 16:34

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.179	2.000	ND	Passed
Arsenic	0.179	0.200	ND	Passed
Cadmium	0.179	0.300	ND	Passed
Chromium	0.179	110.000	ND	Passed
Copper	0.215	30.000	ND	Passed
Mercury	0.043	0.100	ND	Passed
Nickel	0.215	2.000	ND	Passed
Lead	0.179	0.500	ND	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs  
 350 Buell Road  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

Sample: SNYCIR0424-CVAP-0008204  
 Unit Weight: 1.0000g  
 Batch#: V-CA-TD-01-0424  
 Sample Received: 04/24/2024 01:37  
 Report Created: 05/01/2024 01:39  
 Sampling SOP 204-NY

V-CA-TD-01-0424  
 Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY  
 Date/Time Tested: 04/26/2024 14:53

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	41	5,000	ND	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	41	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	204	5,000	ND	Passed
Ethyl Acetate	204	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	204	5,000	ND	Passed
Methanol	122	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	61	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	269	2,170	ND	Passed

**Notes:**

**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
 350 Buell Road  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

Sample: SNYCIR0424-CVAP-0008204  
 Unit Weight: 1.0000g  
 Batch#: V-CA-TD-01-0424  
 Sample Received: 04/24/2024 01:37  
 Report Created: 05/01/2024 01:39  
 Sampling SOP 204-NY

V-CA-TD-01-0424  
 Concentrates & Extracts, Vape



## Mycotoxins

SOP 808-NY  
 Date/Time Tested: 04/26/2024 21:18

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	0.00	Passed
Total Mycotoxins			0.00	Tested

**Notes:**

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



**Cirona Labs**  
 350 Buell Road  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

**Sample: SNYCIR0424-CVAP-0008204**  
 Unit Weight: 1.0000g  
 Batch#: V-CA-TD-01-0424  
 Sample Received: 04/24/2024 01:37  
 Report Created: 05/01/2024 01:39  
 Sampling SOP 204-NY

**V-CA-TD-01-0424**  
 Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY  
 Date/Time Tested: 04/25/2024 22:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
 350 Buell Road  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

Sample: SNYCIR0424-CVAP-0008204

Unit Weight: 1.0000g  
 Batch#: V-CA-TD-01-0424  
 Sample Received: 04/24/2024 01:37  
 Report Created: 05/01/2024 01:39  
 Sampling SOP 204-NY

V-CA-TD-01-0424  
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chloromequat Chloride		1.00	TIC	Passed

**Notes:**

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
350 Buell Road  
New York, 14624  
shane@cironalabs.com  
3157770209

Sample: SNYCIR0424-CVAP-0008204  
Unit Weight: 1.0000g  
Batch#: V-CA-TD-01-0424  
Sample Received: 04/24/2024 01:37  
Report Created: 05/01/2024 01:39  
Sampling SOP 204-NY

V-CA-TD-01-0424  
Concentrates & Extracts, Vape



## Homogeneity

Pass

### Analyte

Result

Homogeneity

Pass