

Cirona Labs  
 350 Buell Rd  
 New York, 14624  
 3157770209

Sample: SNYHHU0417-CVAP-0007909  
 Unit Weight: 1.0000g  
 Batch#: V-CA-KS-01-0424, Batch Size: 1962  
 Sample Received: 04/17/2024 02:43  
 Report Created: 04/26/2024 03:38  
 Sampling SOP 204-NY

V-CA-KS-01-0424  
 Concentrates & Extracts, Vape




## Results

<b>88.18%</b> D9-THC	<b>2.41%</b> CBG
<b>0.00%</b> Total CBD	<b>88.18%</b> Total THC
<b>90.59%</b> Total Cannabinoids	<b>4.2%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Terpenes</b> Pass	<b>Microbials</b> Pass
<b>Heavy Metals</b> Pass	<b>Water Activity</b> Not Tested	<b>Residual Solvents</b> Pass
<b>Mycotoxins</b> Pass	<b>Moisture</b> Not Tested	<b>Pesticides</b> Pass
<b>Homogeneity</b> Pass		

## Dominant Terpenes



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
 350 Buell Rd  
 New York, 14624  
 3157770209

Sample: SNYHHU0417-CVAP-0007909

Unit Weight: 1.0000g  
 Batch#: V-CA-KS-01-0424, Batch Size: 1962  
 Sample Received: 04/17/2024 02:43  
 Report Created: 04/26/2024 03:38  
 Sampling SOP 204-NY

V-CA-KS-01-0424  
 Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY  
 Date/Time Tested: 04/24/2024 18:40

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose
CBDV	9,667.77	ND	ND	ND
CBDa	9,667.77	ND	ND	ND
CBGa	9,667.77	ND	ND	ND
CBG	9,667.77	<b>24.11</b>	<b>2.41</b>	<b>24.11</b>
CBD	9,667.77	ND	ND	ND
THCV	9,667.77	< LOQ	< LOQ	< LOQ
CBN	9,667.77	< LOQ	< LOQ	< LOQ
CBNa	9,667.77	ND	ND	ND
D9-THC	9,667.77	<b>881.76</b>	<b>88.18</b>	<b>881.76</b>
D8-THC	9,667.77	ND	ND	ND
(6aR,9S)-d10-THC	9,667.77	ND	ND	ND
(6aR,9R)-d10-THC	9,667.77	ND	ND	ND
CBC	9,667.77	ND	ND	ND
THCa	9,667.77	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		<b>881.76</b>	<b>88.18</b>	<b>881.76</b>
Total Cannabinoids		<b>905.87</b>	<b>90.59</b>	<b>905.87</b>

**Notes:**

**Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC**  
**Total CBD = CBDa \* 0.877 + CBD**  
**Total Cannabinoids = Sum of all cannabinoids**  
**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
 350 Buell Rd  
 New York, 14624  
 3157770209

Sample: SNYHHU0417-CVAP-0007909  
 Unit Weight: 1.0000g  
 Batch#: V-CA-KS-01-0424, Batch Size: 1962  
 Sample Received: 04/17/2024 02:43  
 Report Created: 04/26/2024 03:38  
 Sampling SOP 204-NY

V-CA-KS-01-0424  
 Concentrates & Extracts, Vape



## Terpenes

SOP 620-NY  
 Date/Time Tested: 04/23/2024 21:42

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	4.2	Passed
b-Myrcene	164		1.2	Tested
b-Caryophyllene	164		1.0	Tested
a-Pinene	164		0.3	Tested
Limonene	164		0.3	Tested
Linalool	164		0.3	Tested
Terpineol	164		0.2	Tested
trans-Nerolidol	164		0.2	Tested
b-Pinene	164		0.2	Tested
a-Bisabolol	164		0.2	Tested
a-Humulene	164		0.1	Tested
cis-Nerolidol	164		0.1	Tested
Fenchol	164		0.0	Tested
Caryophyllene Oxide	164		0.0	Tested
Borneol	164		0.0	Tested
Camphene	164		0.0	Tested
Sabinene Hydrate	164		0.0	Tested
Fenchone	164		0.0	Tested
Isopulegol	164		0.0	Tested
Camphor	164		0.0	Tested
Isoborneol	164		0.0	Tested
DL-Menthol	164		0.0	Tested
Terpinolene	164		0.0	Tested
Nerol	164		0.0	Tested
Pulegone	164		0.0	Tested
Geraniol	164		0.0	Tested
Geranyl Acetate	164		0.0	Tested
a-Cedrene	164		0.0	Tested
Sabinene	164		0.0	Tested
Eucalyptol	164		0.0	Tested
Valencene	164		0.0	Tested
p-Cymene	164		0.0	Tested
a-Terpinene	164		0.0	Tested
Guaiol	164		0.0	Tested
d-3-Carene	164		0.0	Tested
Cedrol	164		0.0	Tested
a-Phellandrene	164		0.0	Tested




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
350 Buell Rd  
New York, 14624  
3157770209

Sample: SNYHHU0417-CVAP-0007909

Unit Weight: 1.0000g  
Batch#: V-CA-KS-01-0424, Batch Size: 1962  
Sample Received: 04/17/2024 02:43  
Report Created: 04/26/2024 03:38  
Sampling SOP 204-NYV-CA-KS-01-0424  
Concentrates & Extracts, Vape

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
trans-b-Ocimene	164		0.0	Tested
trans-b-Farnesene	164		0.0	Tested
g-Terpinene	164		0.0	Tested

**Notes:****LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

Cirona Labs  
350 Buell Rd  
New York, 14624  
3157770209

Sample: SNYHHU0417-CVAP-0007909

Unit Weight: 1.0000g  
Batch#: V-CA-KS-01-0424, Batch Size: 1962  
Sample Received: 04/17/2024 02:43  
Report Created: 04/26/2024 03:38  
Sampling SOP 204-NYV-CA-KS-01-0424  
Concentrates & Extracts, Vape

## Microbials

SOP 401-NY SOP 619-NY  
Date/Time Tested: 04/19/2024 21:21**Pass**

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed
E. Coli		0	ND	Passed
Salmonella		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed

**Notes:****Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

Cirona Labs  
350 Buell Rd  
New York, 14624  
3157770209Sample: SNYHHU0417-CVAP-0007909  
Unit Weight: 1.0000g  
Batch#: V-CA-KS-01-0424, Batch Size: 1962  
Sample Received: 04/17/2024 02:43  
Report Created: 04/26/2024 03:38  
Sampling SOP 204-NYV-CA-KS-01-0424  
Concentrates & Extracts, Vape

## Heavy Metals

SOP 250-NY  
Date/Time Tested: 04/24/2024 17:53**Pass**

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.189	2.000	ND	Passed
Arsenic	0.189	0.200	ND	Passed
Cadmium	0.189	0.300	ND	Passed
Chromium	0.189	110.000	ND	Passed
Copper	0.227	30.000	ND	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.227	2.000	ND	Passed
Lead	0.189	0.500	ND	Passed

**Notes:****LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

Cirona Labs  
 350 Buell Rd  
 New York, 14624  
 3157770209

Sample: SNYHHU0417-CVAP-0007909

Unit Weight: 1.0000g  
 Batch#: V-CA-KS-01-0424, Batch Size: 1962  
 Sample Received: 04/17/2024 02:43  
 Report Created: 04/26/2024 03:38  
 Sampling SOP 204-NY

V-CA-KS-01-0424  
 Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY  
 Date/Time Tested: 04/23/2024 21:50

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	42	5,000	ND	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	42	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	211	5,000	< LOQ	Passed
Ethyl Acetate	211	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	211	5,000	ND	Passed
Methanol	127	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	63	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	279	2,170	ND	Passed

**Notes:**

**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
350 Buell Rd  
New York, 14624  
3157770209

Sample: SNYHHU0417-CVAP-0007909  
Unit Weight: 1.0000g  
Batch#: V-CA-KS-01-0424, Batch Size: 1962  
Sample Received: 04/17/2024 02:43  
Report Created: 04/26/2024 03:38  
Sampling SOP 204-NY

V-CA-KS-01-0424  
Concentrates & Extracts, Vape



## Mycotoxins

SOP 808-NY  
Date/Time Tested: 04/24/2024 12:17

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	0.00	Passed
Total Mycotoxins			0.00	Tested

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Cirona Labs  
 350 Buell Rd  
 New York, 14624  
 3157770209

Sample: SNYHHU0417-CVAP-0007909

Unit Weight: 1.0000g  
 Batch#: V-CA-KS-01-0424, Batch Size: 1962  
 Sample Received: 04/17/2024 02:43  
 Report Created: 04/26/2024 03:38  
 Sampling SOP 204-NY

V-CA-KS-01-0424  
 Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY  
 Date/Time Tested: 04/23/2024 18:26

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
 350 Buell Rd  
 New York, 14624  
 3157770209

Sample: SNYHHU0417-CVAP-0007909

Unit Weight: 1.0000g  
 Batch#: V-CA-KS-01-0424, Batch Size: 1962  
 Sample Received: 04/17/2024 02:43  
 Report Created: 04/26/2024 03:38  
 Sampling SOP 204-NY

V-CA-KS-01-0424  
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	99.96	0.20	ND	Passed
Chlordane	99.96	1.00	ND	Passed
Chlorfenapyr	99.96	1.00	ND	Passed
PCNB	99.96	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chloromequat Chloride		1.00	TIC	Passed

**Notes:**

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs  
350 Buell Rd  
New York, 14624  
3157770209

Sample: SNYHHU0417-CVAP-0007909  
Unit Weight: 1.0000g  
Batch#: V-CA-KS-01-0424, Batch Size: 1962  
Sample Received: 04/17/2024 02:43  
Report Created: 04/26/2024 03:38  
Sampling SOP 204-NY

V-CA-KS-01-0424  
Concentrates & Extracts, Vape



## Homogeneity

Pass

### Analyte

Result

Homogeneity

Pass