

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0503-CVAP-0008286
 Strain: Mango, Unit Weight: 1.0000g
 Batch#: V-CA-M-01-0524, Batch Size: 3878
 Sample Received: 05/03/2024 10:46
 Report Created: 05/13/2024 10:10
 Sampling SOP 204-NY

V-CA-M-01-0524
 Concentrates & Extracts, Vape




Results

88.86% D9-THC	3.78% CBG
ND Total CBD	88.86% Total THC
92.64% Total Cannabinoids	6.427% Total Terpenes

Tests Summary

Cannabinoids Tested	Terpenes Pass	Microbials Pass
Heavy Metals Pass	Water Activity Not Tested	Residual Solvents Pass
Mycotoxins Pass	Moisture Not Tested	Pesticides Pass

Dominant Terpenes



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0503-CVAP-0008286
 Strain: Mango, Unit Weight: 1.0000g
 Batch#: V-CA-M-01-0524, Batch Size: 3878
 Sample Received: 05/03/2024 10:46
 Report Created: 05/13/2024 10:10
 Sampling SOP 204-NY

V-CA-M-01-0524
 Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
 Date/Time Tested: 05/04/2024 16:09

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose
CBDV	9,393.32	ND	ND	ND
CBDa	9,393.32	ND	ND	ND
CBGa	9,393.32	ND	ND	ND
CBG	9,393.32	37.76	3.78	37.76
CBD	9,393.32	< LOQ	< LOQ	< LOQ
THCV	9,393.32	< LOQ	< LOQ	< LOQ
CBN	9,393.32	< LOQ	< LOQ	< LOQ
CBNa	9,393.32	ND	ND	ND
D9-THC	9,393.32	888.6	88.86	888.6
D8-THC	9,393.32	ND	ND	ND
(6aR,9S)-d10-THC	9,393.32	ND	ND	ND
(6aR,9R)-d10-THC	9,393.32	ND	ND	ND
CBC	9,393.32	< LOQ	< LOQ	< LOQ
THCa	9,393.32	ND	ND	ND
Total CBD		ND	ND	ND
Total THC		888.6	88.86	888.6
Total Cannabinoids		926.36	92.64	926.36

Notes:

AMENDED Rev 01: Batch number corrected per client request

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0503-CVAP-0008286
 Strain: Mango, Unit Weight: 1.0000g
 Batch#: V-CA-M-01-0524, Batch Size: 3878
 Sample Received: 05/03/2024 10:46
 Report Created: 05/13/2024 10:10
 Sampling SOP 204-NY

V-CA-M-01-0524
 Concentrates & Extracts, Vape



Terpenes

SOP 620-NY
 Date/Time Tested: 05/06/2024 19:04

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	6.427	Passed
Limonene	164		1.256	Tested
b-Myrcene	164		1.118	Tested
b-Caryophyllene	164		0.827	Tested
b-Pinene	164		0.449	Tested
a-Pinene	164		0.445	Tested
Linalool	164		0.310	Tested
a-Humulene	164		0.297	Tested
trans-Nerolidol	164		0.260	Tested
a-Phellandrene	164		0.235	Tested
a-Bisabolol	164		0.210	Tested
Terpineol	164		0.190	Tested
d-3-Carene	164		0.142	Tested
a-Terpinene	164		0.113	Tested
Fenchol	164		0.111	Tested
cis-Nerolidol	164		0.107	Tested
Borneol	164		0.082	Tested
Geraniol	164		0.054	Tested
trans-b-Farnesene	164		0.050	Tested
Caryophyllene Oxide	164		0.039	Tested
Camphene	164		0.034	Tested
Eucalyptol	164		0.025	Tested
Isopulegol	164		0.024	Tested
Sabinene	164		0.017	Tested
Sabinene Hydrate	164		ND	Tested
Isoborneol	164		ND	Tested
Geranyl Acetate	164		ND	Tested
a-Cedrene	164		ND	Tested
Pulegone	164		ND	Tested
Nerol	164		ND	Tested
Valencene	164		< LOQ	Tested
Camphor	164		ND	Tested
p-Cymene	164		< LOQ	Tested
Guaiol	164		< LOQ	Tested
g-Terpinene	164		ND	Tested
Cedrol	164		ND	Tested
Fenchone	164		ND	Tested



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0503-CVAP-0008286
Strain: Mango, Unit Weight: 1.0000g
Batch#: V-CA-M-01-0524, Batch Size: 3878
Sample Received: 05/03/2024 10:46
Report Created: 05/13/2024 10:10
Sampling SOP 204-NY

V-CA-M-01-0524
Concentrates & Extracts, Vape



Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
trans-b-Ocimene	164		ND	Tested
Terpinolene	164		ND	Tested
DL-Menthol	164		ND	Tested

Notes:**AMENDED Rev 01: Batch number corrected per client request****LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0503-CVAP-0008286
Strain: Mango, Unit Weight: 1.0000g
Batch#: V-CA-M-01-0524, Batch Size: 3878
Sample Received: 05/03/2024 10:46
Report Created: 05/13/2024 10:10
Sampling SOP 204-NY

V-CA-M-01-0524
Concentrates & Extracts, Vape



Microbials

SOP 401-NY SOP 619-NY
Date/Time Tested: 05/07/2024 16:20

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
E. Coli		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed
Salmonella		0	ND	Passed

Notes:

AMENDED Rev 01: Batch number corrected per client request

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0503-CVAP-0008286
Strain: Mango, Unit Weight: 1.0000g
Batch#: V-CA-M-01-0524, Batch Size: 3878
Sample Received: 05/03/2024 10:46
Report Created: 05/13/2024 10:10
Sampling SOP 204-NY

V-CA-M-01-0524
Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY
Date/Time Tested: 05/09/2024 12:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.220	2.000	ND	Passed
Arsenic	0.220	0.200	ND	Passed
Cadmium	0.220	0.300	ND	Passed
Chromium	0.220	110.000	ND	Passed
Copper	0.264	30.000	ND	Passed
Mercury	0.053	0.100	ND	Passed
Nickel	0.264	2.000	ND	Passed
Lead	0.220	0.500	ND	Passed

Notes:

AMENDED Rev 01: Batch number corrected per client request

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0503-CVAP-0008286
 Strain: Mango, Unit Weight: 1.0000g
 Batch#: V-CA-M-01-0524, Batch Size: 3878
 Sample Received: 05/03/2024 10:46
 Report Created: 05/13/2024 10:10
 Sampling SOP 204-NY

V-CA-M-01-0524
 Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY
 Date/Time Tested: 05/06/2024 13:33

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	< LOQ	Passed
Acetone	39	5,000	ND	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	39	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	194	5,000	< LOQ	Passed
Ethyl Acetate	194	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	194	5,000	ND	Passed
Methanol	117	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	58	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	256	2,170	ND	Passed

Notes:

AMENDED Rev 01: Batch number corrected per client request

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0503-CVAP-0008286
 Strain: Mango, Unit Weight: 1.0000g
 Batch#: V-CA-M-01-0524, Batch Size: 3878
 Sample Received: 05/03/2024 10:46
 Report Created: 05/13/2024 10:10
 Sampling SOP 204-NY

V-CA-M-01-0524
 Concentrates & Extracts, Vape



Mycotoxins

SOP 808-NY
 Date/Time Tested: 05/07/2024 04:09

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Notes:

AMENDED Rev 01: Batch number corrected per client request
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0503-CVAP-0008286
 Strain: Mango, Unit Weight: 1.0000g
 Batch#: V-CA-M-01-0524, Batch Size: 3878
 Sample Received: 05/03/2024 10:46
 Report Created: 05/13/2024 10:10
 Sampling SOP 204-NY

V-CA-M-01-0524
 Concentrates & Extracts, Vape



Pesticides

SOP 814-NY
 Date/Time Tested: 05/06/2024 16:52

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0503-CVAP-0008286
 Strain: Mango, Unit Weight: 1.0000g
 Batch#: V-CA-M-01-0524, Batch Size: 3878
 Sample Received: 05/03/2024 10:46
 Report Created: 05/13/2024 10:10
 Sampling SOP 204-NY

V-CA-M-01-0524
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chlormequat Chloride		1.00	TIC	Passed

Notes:

AMENDED Rev 01: Batch number corrected per client request

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.