

Cirona Labs

Order No.: ONYCIR0710-0001872
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
 Batch#: V-CA-SLH-01-0724, Batch Size: 1201
 Sample Received: 07/10/2024 09:12
 Report Created: 07/12/2024 20:43
 Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape




Results

909.61 mg/unit D9-THC	20.24 mg/unit CBG
ND Total CBD	909.61 mg/unit Total THC
947.70 mg/unit Total Cannabinoids	5.008% Total Terpenes

Tests Summary

Cannabinoids Tested	Terpenes Pass	Microbials Pass
Heavy Metals Pass	Water Activity Not Tested	Residual Solvents Pass
Mycotoxins Pass	Moisture Not Tested	Pesticides Pass
Homogeneity Not Tested		

Dominant Terpenes



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0710-0001872
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
 Batch#: V-CA-SLH-01-0724, Batch Size: 1201
 Sample Received: 07/10/2024 09:12
 Report Created: 07/12/2024 20:43
 Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY

Date/Time Tested: 07/10/2024 18:25

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/unit
CBDV	10,206.47	ND	ND	ND
CBDa	10,206.47	ND	ND	ND
CBGa	10,206.47	ND	ND	ND
CBG	10,206.47	20.24	2.02	20.24
CBD	10,206.47	ND	ND	ND
THCV	10,206.47	17.85	1.78	17.85
CBN	10,206.47	< LOQ	< LOQ	< LOQ
D9-THC	10,206.47	909.61	90.96	909.61
D8-THC	10,206.47	ND	ND	ND
(6aR,9S)-d10-THC	10,206.47	ND	ND	ND
(6aR,9R)-d10-THC	10,206.47	ND	ND	ND
CBC	10,206.47	ND	ND	ND
THCa	10,206.47	ND	ND	ND
Total CBD		ND	ND	ND
Total THC		909.61	90.96	909.61
Total Cannabinoids		947.70	94.77	947.70

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs

Order No.: ONYCIR0710-0001872
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
 Batch#: V-CA-SLH-01-0724, Batch Size: 1201
 Sample Received: 07/10/2024 09:12
 Report Created: 07/12/2024 20:43
 Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Terpenes

SOP 620-NY

Date/Time Tested: 07/10/2024 18:18

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	5.008	Passed
b-Myrcene	161		1.042	Tested
Limonene	161		1.024	Tested
b-Caryophyllene	161		0.492	Tested
Terpinolene	161		0.464	Tested
Linalool	161		0.375	Tested
a-Pinene	161		0.353	Tested
Geranyl Acetate	161		0.235	Tested
b-Pinene	161		0.209	Tested
trans-Nerolidol	161		0.185	Tested
a-Bisabolol	161		0.101	Tested
a-Humulene	161		0.101	Tested
a-Terpinene	161		0.095	Tested
cis-Nerolidol	161		0.091	Tested
Terpineol	161		0.072	Tested
Caryophyllene Oxide	161		0.060	Tested
Nerol	161		0.045	Tested
Fenchol	161		0.041	Tested
Guaiol	161		0.022	Tested
Camphene	161		< LOQ	Tested
Isopulegol	161		ND	Tested
DL-Menthol	161		ND	Tested
Borneol	161		< LOQ	Tested
Sabinene Hydrate	161		ND	Tested
Pulegone	161		ND	Tested
Geraniol	161		ND	Tested
Isoborneol	161		ND	Tested
a-Cedrene	161		ND	Tested
Sabinene	161		ND	Tested
a-Phellandrene	161		ND	Tested
Valencene	161		ND	Tested
g-Terpinene	161		ND	Tested
Eucalyptol	161		ND	Tested
Camphor	161		ND	Tested
p-Cymene	161		ND	Tested
Cedrol	161		ND	Tested
d-3-Carene	161		< LOQ	Tested



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0710-0001872
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
Batch#: V-CA-SLH-01-0724, Batch Size: 1201
Sample Received: 07/10/2024 09:12
Report Created: 07/12/2024 20:43
Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
trans-b-Ocimene	161		ND	Tested
trans-b-Farnesene	161		ND	Tested
Fenchone	161		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs

Order No.: ONYCIR0710-0001872
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
 Batch#: V-CA-SLH-01-0724, Batch Size: 1201
 Sample Received: 07/10/2024 09:12
 Report Created: 07/12/2024 20:43
 Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Microbials

SOP 401-NY SOP 619-NY
 Date/Time Tested: 07/10/2024 13:55

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
Yeast & Mold		1,000	ND	Passed
E. Coli		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed
Salmonella		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs

Order No.: ONYCIR0710-0001872
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
Batch#: V-CA-SLH-01-0724, Batch Size: 1201
Sample Received: 07/10/2024 09:12
Report Created: 07/12/2024 20:43
Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 07/12/2024 12:02

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.171	2.000	ND	Passed
Arsenic	0.171	0.200	ND	Passed
Cadmium	0.171	0.300	ND	Passed
Chromium	0.171	110.000	ND	Passed
Copper	0.205	30.000	ND	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.205	2.000	ND	Passed
Lead	0.171	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs

Order No.: ONYCIR0710-0001872
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
 Batch#: V-CA-SLH-01-0724, Batch Size: 1201
 Sample Received: 07/10/2024 09:12
 Report Created: 07/12/2024 20:43
 Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 07/11/2024 18:11

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	185	5,000	< LOQ	Passed
Ethyl Acetate	185	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	19	5,000	< LOQ	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	185	5,000	ND	Passed
Methanol	111	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	56	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	244	2,170	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Cirona Labs

Order No.: ONYCIR0710-0001872
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
Batch#: V-CA-SLH-01-0724, Batch Size: 1201
Sample Received: 07/10/2024 09:12
Report Created: 07/12/2024 20:43
Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Mycotoxins

SOP 808-NY

Date/Time Tested: 07/11/2024 23:27

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1			0.00	Tested
B2			0.00	Tested
G1			0.00	Tested
G2			0.00	Tested
Ochratoxin A		20.0	0.00	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs

Order No.: ONYCIR0710-0001872
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
 Batch#: V-CA-SLH-01-0724, Batch Size: 1201
 Sample Received: 07/10/2024 09:12
 Report Created: 07/12/2024 20:43
 Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 07/11/2024 12:06

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0710-0001872
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0710-CVAP-0008932

Unit Weight: 1.0000g
 Batch#: V-CA-SLH-01-0724, Batch Size: 1201
 Sample Received: 07/10/2024 09:12
 Report Created: 07/12/2024 20:43
 Sampling SOP 204-NY

V-CA-SLH-01-0724

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	< LOQ	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chloromequat Chloride		1.00	TIC	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director