

Cirona Labs

Order No.: ONYCIR1008-0002949
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR1008-PEIP-0010229

Strain: Super Lemon Haze, Unit Weight: 3.5000g
 Batch#: PR-CA-SLH-01-1024, Batch Size: 2767
 Report Received: 10/08/2024 05:31
 Report Created: 10/13/2024 20:10
 Sampling SOP 204-NY

PR-CA-SLH-01-1024

Plant, Enhanced/Infused Preroll




Results

245.000 mg/dose THCa	13.460 mg/dose D9-THC
ND Total CBD	228.32 mg/dose Total THC
262.68 mg/dose Total Cannabinoids	2.206% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Pass	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

2 of 7

Cirona Labs

Order No.: ONYCIR1008-0002949
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR1008-PEIP-0010229

Strain: Super Lemon Haze, Unit Weight: 3.5000g
 Batch#: PR-CA-SLH-01-1024, Batch Size: 2767
 Sample Received: 10/08/2024 05:31
 Report Created: 10/13/2024 20:10
 Sampling SOP 204-NY

PR-CA-SLH-01-1024

Plant, Enhanced/Infused Preroll



Cannabinoids

SOP 801-NY
 Date/Time Tested: 10/10/2024
 16:59

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose	mg/unit
CBDV	3,357.47	ND	ND	ND	ND
CBDa	3,357.47	ND	ND	ND	ND
CBGa	3,442.22	6.04	0.60	4.23	21.13
CBG	3,442.22	ND	ND	ND	ND
CBD	3,357.47	ND	ND	ND	ND
THCV	3,414.11	ND	ND	ND	ND
CBN	3,442.22	ND	ND	ND	ND
D9-THC	3,442.22	19.22	1.92	13.46	67.28
D8-THC	3,357.47	ND	ND	ND	ND
(6aR,9S)-d10-THC	3,414.11	ND	ND	ND	ND
(6aR,9R)-d10-THC	3,442.22	ND	ND	ND	ND
CBC	3,414.11	ND	ND	ND	ND
THCa	3,357.47	350.00	35.00	245.00	1,224.99
Total CBD		ND	ND	ND	ND
Total THC		326.17	32.62	228.32	1,141.60
Total Cannabinoids		375.26	37.53	262.68	1,313.41

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation;
 The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

Date/Time Tested: 10/12/2024
 08:24

Pass

Analyte	Limit (%)	%	Status
Moisture	15	7.5	Passed

Microbials

SOP 401-NY SOP 619-NY

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria			607,207	Tested
E. Coli		0	ND	Passed
Yeast & Mold			199	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

Date/Time Tested: 10/12/2024
 08:24

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.48	Passed

Foreign Matter

Date/Time Tested: 10/13/2024
 17:18

Pass

Analyte	%
FM Stems	0
FM Other	0
FM Mammal Excrement	Absent



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. † indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

3 of 7

Cirona Labs

Order No.: ONYCIR1008-0002949
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR1008-PEIP-0010229

Strain: Super Lemon Haze, Unit Weight: 3.5000g
Batch#: PR-CA-SLH-01-1024, Batch Size: 2767
Report Received: 10/08/2024 05:31
Report Created: 10/13/2024 20:10
Sampling SOP 204-NY

PR-CA-SLH-01-1024

Plant, Enhanced/Infused Preroll



Terpenes

SOP 620-NY

Date/Time Tested: 10/10/2024 15:48

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	2.206	Passed	Camphene	87		ND	Tested
b-Caryophyllene	87		0.830	Tested	Fenchone	87		ND	Tested
a-Humulene	87		0.266	Tested	DL-Menthol	87		ND	Tested
Limonene	87		0.182	Tested	Nerol	87		ND	Tested
trans-b-Farnesene	87		0.171	Tested	Pulegone	87		ND	Tested
a-Bisabolol	87		0.137	Tested	Geraniol	87		ND	Tested
Linalool	87		0.108	Tested	Isoborneol	87		ND	Tested
b-Myrcene	87		0.091	Tested	a-Cedrene	87		ND	Tested
Caryophyllene Oxide	87		0.079	Tested	g-Terpinene	87		ND	Tested
cis-Nerolidol	87		0.047	Tested	Eucalyptol	87		ND	Tested
Fenchol	87		0.046	Tested	Valencene	87		ND	Tested
Terpineol	87		0.042	Tested	p-Cymene	87		ND	Tested
Geranyl Acetate	87		0.040	Tested	a-Terpinene	87		ND	Tested
b-Pinene	87		0.035	Tested	Camphor	87		ND	Tested
trans-Nerolidol	87		0.035	Tested	d-3-Carene	87		ND	Tested
a-Pinene	87		0.029	Tested	Cedrol	87		ND	Tested
Terpinolene	87		0.029	Tested	a-Phellandrene	87		ND	Tested
trans-b-Ocimene	87		0.016	Tested	Isopulegol	87		ND	Tested
Guaiol	87		0.013	Tested	Sabinene	87		ND	Tested
Borneol	87		0.010	Tested	Sabinene Hydrate	87		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

Cirona Labs

Order No.: ONYCIR1008-0002949
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR1008-PEIP-0010229

Strain: Super Lemon Haze, Unit Weight: 3.5000g
 Batch#: PR-CA-SLH-01-1024, Batch Size: 2767
 Report Received: 10/08/2024 05:31
 Report Created: 10/13/2024 20:10
 Sampling SOP 204-NY

PR-CA-SLH-01-1024

Plant, Enhanced/Infused Preroll



Residual Solvents

SOP 612-NY

Date/Time Tested: 10/10/2024 15:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	42	5,000	< LOQ	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	42	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	208	5,000	ND	Passed
Ethyl Acetate	208	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO	104	5,000	ND	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	208	5,000	< LOQ	Passed
Methanol	125	3,000	349.9	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	62	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	5,192	1,500	ND	Passed
Xylenes	274	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	21	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 10/11/2024 02:12

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested	Ochratoxin A	4.6	20.0	ND	Passed
B2	4.6		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.6		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.6		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

5 of 7

Cirona Labs

Order No.: ONYCIR1008-0002949
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR1008-PEIP-0010229

Strain: Super Lemon Haze, Unit Weight: 3.5000g
Batch#: PR-CA-SLH-01-1024, Batch Size: 2767
Sample Received: 10/08/2024 05:31
Report Created: 10/13/2024 20:10
Sampling SOP 204-NY

PR-CA-SLH-01-1024

Plant, Enhanced/Infused Preroll



Heavy Metals

SOP 250-NY

Date/Time Tested: 10/10/2024 11:20

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.186	2.000	ND	Passed
Arsenic	0.186	0.200	ND	Passed
Cadmium	0.186	0.200	< LOQ	Passed
Chromium	0.186	110.000	< LOQ	Passed
Copper	0.223	30.000	16.602	Passed
Mercury	0.045	0.100	< LOQ	Passed
Nickel	0.223	5.000	0.446	Passed
Lead	0.186	0.500	< LOQ	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR1008-0002949
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR1008-PEIP-0010229

Strain: Super Lemon Haze, Unit Weight: 3.5000g
 Batch#: PR-CA-SLH-01-1024, Batch Size: 2767
 Report Received: 10/08/2024 05:31
 Report Created: 10/13/2024 20:10
 Sampling SOP 204-NY

PR-CA-SLH-01-1024

Plant, Enhanced/Infused Preroll



Pesticides

SOP 814-NY

Date/Time Tested: 10/10/2024 15:40

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Fonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.11	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR1008-0002949
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR1008-PEIP-0010229

Strain: Super Lemon Haze, Unit Weight: 3.5000g
 Batch#: PR-CA-SLH-01-1024, Batch Size: 2767
 Report Received: 10/08/2024 05:31
 Report Created: 10/13/2024 20:10
 Sampling SOP 204-NY

PR-CA-SLH-01-1024

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Pacllobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.11	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.